



UniTent®

—
Ningbo Unitent
Outdoor Products
Co., Ltd

FOLDABLE GAZEBO



*Color printing customization
Do not let your logo be blind*



UniTent®

**Ningbo Unitent Outdoor
Products Co., Ltd.**



39# Rongchuang Rd, Lizhou
Street, Yuyao, Zhejiang, China
P.C.:315400



+86-0574-62560909
+86-0574-62560900
+86-0574-62560907



www.unitent.cn



info@unitent.cn
sales@unitent.cn

Certificate & Test Report



Company Introduction


Founded in 2011, Unitent specialises in the design and manufacture of folding Gazebos. Whether it is cost sensitive products for the domestic market or heavy duty frames for the commercial sector. We pride ourselves on our quality and attention to detail.


With export clients in Europe, Australia and North America our 10,000 square meter workshop can meet the demands of your market. Our engineers are focused on delivering the very best range of folding shelters with constant levels of innovation and an ever-expanding range of Intellectual Property. We are positioned at the forefront of innovation and ingenuity in this market.

At Unitent we understand the importance of Intellectual Property, which is why our customers trust us to protect their designs and rely on us to help work with them through the innovation process.

With changing economic and market factors we now offer a competitive invoice financing option and low MOQ's as well as competitive air-freight prices for bespoke printed canopies.

Our management team has over 30 years combined experience in the outdoor shelter market allowing us to bring a depth of knowledge and understanding of the product un-paralleled to most of our competitors.






NINGBO · UNITENT



SEWING



HEAT SEAL PVC FABRIC



PRINTING PROCESS



ASSEMBLY
PACKAGING





04

TUBE DIA.

50mm

**FIRE-RESISTANCE RATING: B1/M2
WIND TUNNEL TEST: 100km/h**




Robust & durable
H/D 50mm aluminum frame work
High quality materials
Fully water proof
Extended warranty included
Highly versatile
Printing & branding available
Erected in minutes



FOLDING CANOPY

FOLDING CANOPY PRO 50MM

Professional folding aluminum frame, hexagonal tube dia.50mm,100% waterproof PVC 520g/m² roof cover, fire-retardant designed for intensive daily erection. Wind resistant up to 100km/h(weighted and tied down). With its high specification, this iproducts is ideal for professional and commercial use.




Model size: 3x3m
Item No.: UT3350

06

DETAILED INFORMATION

- 1 Big cap dia. 90mm
- 2 PVC 520gr/m² roof cover
- 3 Metal joints
- 4 Pole size: hexagon 50x2mm ; rib size: 35x18x2mm
- 5 Galvanized steel foot base 140x140x3mm
- 6 Metal connection fixing with velcro strap
- 7 Central tube size: 35x35mm
- 8 Metal top connection
- 9 Metal casting with pull ring
- 10 Height adjustable by sliding pull ring
- 11 Velcro on the sides; width: 5cm




	A	B	C	D	E
2X3m	1998	1998	990	310	1190-2075
3X3m	2968	2968	1305	310	1190-2075
3X4,5m	2968	4395	1305	310	1190-2075
3X6m	2968	5875	1305	310	1190-2075
4X4m	3998	3998	1460	310	1700-2235
4X6m	3998	5945	1460	310	1700-2235
4X8m	3998	7935	1460	310	1700-2235
5X5m	4960	4960	1480	300	1800-2100

FOLDING CANOPY

FOLDING CANOPY - 3x3M
-SQUARE ALU PRO 50mmx50mm

Professional folding aluminum frame, square tube dia. 50mm. 100% waterproof PVC 520g/m² roof cover, fire-retardant, designed for intensive dally erection. Wind resistant up to 100km/h (weighted and tied down). With its high specification, this product is ideal for professional and commercial use.



Our unique canopy tensioning device allows you to extend the central pole by an additional 10cm. The additional tension aids the product in more testing weather conditions as well as making sure any additional branding on the product looks its very best. Our simple winding handle is integral to the frame so it is incredibly simple and convenient to use and can provide that vital additional tension in just seconds.




Model size: 3x3m
Item No.: UT3350B

07

DETAILED INFORMATION

- 1 Big Cap dia. 80mm
- 2 PVC 520g/m² roof cover
- 3 Pole size: square 50x50x1.8mm/45x45x1.8mm; Rib size:35x18x1.8mm
- 4 Galvanized steel foot base 140x140x3mm
- 5 Height density nylon connection with Velcro strap
- 6 Central tube size: 32x32mm
- 7 High density nylon top connection
- 8 High density nylon casting with push button
- 9 Height adjustable by sliding push button
- 10 Velcro on the sides; Width: 5cm



	A	B	C	D	E
2X3m	1998	1998	990	310	1190-2075
3X3m	2968	2968	1305	310	1190-2075
3X4,5m	2968	4395	1305	310	1190-2075
3X6m	2968	5875	1305	310	1190-2075
4X4m	3998	3998	1460	310	1700-2235
4X6m	3998	5945	1460	310	1700-2235
4X8m	3998	7935	1460	310	1700-2235
5X5m	4960	4960	1480	300	1800-2100

TECHNICAL CHARACTERISTICS

Size	Item No.	Volume (m³)	carton size	Products net (kg)
2 x 3m	UT2350	0.26640	1.62*0.44*0.34(N°1) 0.60*0.50*0.08(N°2)	39
3 x 3m	UT3350	0.22528	1.60*0.34*0.37(N°1) 0.60*0.50*0.08(N°2)	47
3 x 4.5m	UT34550	0.28448	1.60*0.44*0.37(N°1) 0.60*0.50*0.10(N°2)	65
3 x 6m	UT3650	0.40092	1.60*0.58*0.39(N°1) 0.60*0.50*0.13(N°2)	85
4 x 4m	UT4450	0.27576	2.10*0.34*0.34(N°1) 0.60*0.50*0.11(N°2)	64
4 x 6m	UT4650	0.36918	2.10*0.45*0.34(N°1) 0.60*0.57*0.14(N°2)	84
4 x 8m	UT4850	0.48126	2.10*0.59*0.34(N°1) 0.60*0.50*0.20(N°2)	101
5 x 5m	UT5550	0.36918	1.63*0.48*0.48(N°1) 0.60*0.50*0.20(N°2)	92

TECHNICAL CHARACTERISTICS (Square tube B)

Size	Item No.	Volume (m³)	carton size	Products net (kg)
2 x 3m	UT2350B	0.26640	1.62*0.44*0.34(N°1) 0.60*0.50*0.08(N°2)	39
3 x 3m	UT3350B	0.22528	1.60*0.34*0.37(N°1) 0.60*0.50*0.08(N°2)	47
3 x 4.5m	UT34550B	0.28448	1.60*0.44*0.37(N°1) 0.60*0.50*0.10(N°2)	65
3 x 6m	UT3650B	0.40092	1.60*0.58*0.39(N°1) 0.60*0.50*0.13(N°2)	85
4 x 4m	UT4450B	0.27576	2.10*0.34*0.34(N°1) 0.60*0.50*0.11(N°2)	64
4 x 6m	UT4650B	0.36918	2.10*0.45*0.34(N°1) 0.60*0.57*0.14(N°2)	84
4 x 8m	UT4850B	0.48126	2.10*0.59*0.34(N°1) 0.60*0.50*0.20(N°2)	101
5 x 5m	UT5550B	0.36918	2.10*0.45*0.34(N°1) 0.60*0.57*0.14(N°2)	86

WARRANTY

The folding canopy, including the metal frame and roof cover, has a warranty of 3 years.

FOLDING CANOPY


FOLDING CANOPY - 2x2x2M
-SQUARE ALU PRO 50mmx50mm

Folding professional aluminum frame, square tube dia. 50mm,100% waterproof 300gr polyester PVC coating cover, fire-retardant designed forintensive daily installation.



DETAILED INFORMATION

- 1 Big cap dia. 80mm
- 2 PVC coated polyester 300gr/m² roof cover
- 3 Pole size: square 50X50x1.8mm/45x45x1.8mm; rib size: 35x18x1.8mm
- 4 Galvanized steel foot base 140x140x3mm
- 5 High density nylon joints
- 6 Central tube size: 32X32mm
- 7 High density nylon top connection
- 8 High density nylon casting with push button
- 9 Height adjustable by sliding push button
- 10 Velcro on the sides; width: 3cm





Item No.: UT2350

Size: 2 x 3m



Item No.: UT2450

Size: 2 x 3m



Item No.: UT4450

Size: 4 x 4m



Item No.: UT4650

Size: 4 x 6m



Item No.: UT3350

Size: 3 x 3m



Item No.: UT4850

Size: 4 x 8m



Item No.: UT5550

Size: 5 x 5m



Item No.: UT34550

Size: 3 x 4.5m



Item No.: UT3650

Size: 3 x 6m



TUBE DIA.

40mm

- Robust & durable
- H/D aluminum and steel frame work
- High quality materials
- Fully water proof materials
- Extended warranty included
- Highly versatile
- Printing & branding avaiable
- Erected in minutes




FOLDING CANOPY
FOLDING CANOPY PRO 40MM

Folding aluminum frame, hexagonal tube dia.40mm, PVC coated polyester 300g/m² roof cover, 100% waterproof. Suitable for frequent use, compact design, it's the perfect combination of strength, converience, durability and stability.



DETAILED INFORMATION

- 1 Big cap dia. 90mm
- 2 PVC coated polyester 300gr/m² roof cover
- 3 High density nylon joints
- 4 Pole size: Hexagon 40x1.6mm; rib size: 26x13x1.6mm
- 5 Galvanized steel foot base 110 x 110 x 3mm
- 6 High density plastic connection fixing with Velcro strap
- 7 Central tube size: 25 x 25mm
- 8 High density nylon top connection
- 9 High density nylon casting with pull ring
- 10 Height adjustable by sliding pull ring
- 11 Velcro on the sides; width: 3cm



	A	B	C	D	E
2X2m	2000	2000	990	270	1225-2115
2X3m	2000	2950	990	270	1225-2115
2X4m	2000	3855	990	270	1225-2115
3X3m	2968	2968	1310	270	1225-2115
3X4,5m	2968	4420	1310	270	1225-2115
3X6m	2968	5890	1310	270	1225-2115
4X4m	3998	3998	1430	270	1745-2555

FOLDING CANOPY

FOLDING CANOPY - 3x3M
-SQUARE ALU PRO 40mm

Folding aluminum frame, square tube dia. 40mm, PVC coated polyester 300g/m² roof cover, 100% waterproof. Suitable for frequent use, compact design, it's the perfect combination of strength, convenience, durability and stability.



Model size: 3x3 m
Item No.: UT3340B



Our unique canopy tensioning device allows you to extend the central pole by an additional 10cm. The additional tension aids the product in more testing weather conditions as well as making sure any additional branding on the product looks its very best. Our simple winding handle is integral to the frame so it is incredibly simple and convenient to use and can provide that vital additional tension in just seconds.

FOLDING CANOPY

FOLDING CANOPY - 4x4M
-ALU PRO 40mm



Model size: 4x4 m
Item No.: UT4440E



Our unique canopy tensioning device allows you to extend the central pole by an additional 10cm. The additional tension aids the product in more testing weather conditions as well as making sure any additional branding on the product looks its very best. Our simple winding handle is integral to the frame so it is incredibly simple and convenient to use and can provide that vital additional tension in just seconds.

DETAILED INFORMATION

- 1 Big cap dia. 80mm
- 2 PVC coated polyester 300gr/m² roof cover
- 3 High density nylon joints
- 4 Pole size: square 40x40x1.6mm ; rib size: 26x13x1.6mm
- 5 Galvanized steel foot base 110x110x3mm
- 6 High density nylon joints fixing with Velcro strap
- 7 Central tube size: 25x25mm
- 8 High density nylon top connection
- 9 High density nylon casting with push button
- 10 Height adjustable by sliding push button
- 11 Velcro on the sides; width: 3cm

	A	B	C	D	E
2X2m	2000	2000	990	270	1225-2115
2X3m	2000	2950	990	270	1225-2115
2X4m	2000	3855	990	270	1225-2115
3X3m	2968	2968	1310	270	1225-2115
3X4,5m	2968	4420	1310	270	1225-2115
3X6m	2968	5890	1310	270	1225-2115
4X4m	3998	3998	1430	270	1745-2555

DETAILED INFORMATION

- 1 Big cap dia. 90mm
- 2 PVC coated polyester 300gr/m² roof cover
- 3 High density nylon joints
- 4 Pole size: Hexagon 40x1.6mm; rib size: 26x13x1.6mm
- 5 Galvanized steel foot base 110x110x3mm
- 6 Canopy tensioner
- 7 Central tube size: 25x25mm
- 8 High density nylon top connection
- 9 High density nylon casting with pull ring
- 10 Height adjustable by sliding pull ring

	A	B	C	D	E
	2968	3950	990/1140	275	1810/2115

TECHNICAL CHARACTERISTICS (Hexagon tube A)

Size	Item No.	Volume (m³)	carton size	Products net (kg)
2 x 2m	UT2240	0.14097	1,64 * 0,28 * 0,28 (N°1) 0,55 * 0,38 * 0,06 (N°2)	23,5
2 x 3m	UT2340	0.1566	1,60 * 0,28 * 0,30 (N°1) 0,75 * 0,37 * 0,08 (N°2)	30
2 x 4m	UT2440	0.2321	1,64 * 0,47 * 0,28 (N°1) 0,55 * 0,37 * 0,08 (N°2)	36
3 x 3m	UT3340	0.1566	1,60 * 0,28 * 0,30 (N°1) 0,75 * 0,37 * 0,08 (N°2)	32
3 x 4.5m	UT34540	0.20258	1,60 * 0,37 * 0,30 (N°1) 0,75 * 0,37 * 0,09 (N°2)	41
3 x 6m	UT3640	0.25613	1,60 * 0,47 * 0,30 (N°1) 0,75 * 0,37 * 0,11 (N°2)	55
4 x 4m	UT4440	0.20415	2,10 * 0,28 * 0,30 (N°1) 0,75 * 0,37 * 0,10 (N°2)	41
4 x 4m	UT4440E	0.20065	1,60*0,34*0,34 (N°1) 0,53*0,37*0,08 (N°2)	34

TECHNICAL CHARACTERISTICS (Square tube B)

Size	Item No.	Volume (m³)	carton size	Products net (kg)
2 x 2m	UT2240B	0.14097	1,64 * 0,28 * 0,28 (N°1) 0,55 * 0,38 * 0,06 (N°2)	23,5
2 x 3m	UT2340B	0.1566	1,60 * 0,28 * 0,30 (N°1) 0,75 * 0,37 * 0,08 (N°2)	30
2 x 4m	UT2440B	0.2321	1,64 * 0,47 * 0,28 (N°1) 0,55 * 0,37 * 0,08 (N°2)	36
3 x 3m	UT3340B	0.1566	1,60 * 0,28 * 0,30 (N°1) 0,75 * 0,37 * 0,08 (N°2)	32
3 x 4.5m	UT34540B	0.20258	1,60 * 0,37 * 0,30 (N°1) 0,75 * 0,37 * 0,09 (N°2)	41
3 x 6m	UT3640B	0.25613	1,60 * 0,47 * 0,30 (N°1) 0,75 * 0,37 * 0,11 (N°2)	55
4 x 4m	UT4440B	0.20415	2,10 * 0,28 * 0,30 (N°1) 0,75 * 0,37 * 0,10 (N°2)	41

WARRANTY

The folding canopy, including the metal frame and roof cover, has a warranty of 2 years.

FOLDING CANOPY



DETAILED INFORMATION

- 1 Big cap dia. 80mm
- 2 PVC coated polyester 300gr/m² roof cover
- 3 High density nylon joints
- 4 Pole size: Hexagon 40x1.6mm; Rib size: 26x13x1.6mm
- 5 Galvanized steel foot base 110x110x3mm
- 6 High density nylon joints fixing with Velcro strap
- 7 Central tube size: 25x25mm
- 8 High density nylon top connection
- 9 High density nylon casting with pull ring
- 10 Height adjustable by sliding pull ring
- 11 Velcro on the sides; Width: 3cm





Item No.: UT2240

Size: 2 x 2m



Item No.: UT2340

Size: 2 x 3m



Item No.: UT34540

Size: 3 x 4.5m



Item No.: UT3640

Size: 3 x 6m



Item No.: UT2440

Size: 2 x 4m



Item No.: UT3340

Size: 3 x 3m



Item No.: UT4440

Size: 4 x 4m

FOLDING CANOPY

Special Orders : All our products can be modified according to your order and specifications, in terms of frame dimensions, diameters of tubes, options of cover and sidewalls and color. Personalized fabrication is possible according to the quantity on all categories.




Item No.: UT3340F



DETAILED INFORMATION

- 1 Big cap dia. 80mm
- 2 230g/m² PU roof cover
- 3 Plastic joints
- 4 Steel pole size: 40x0.7/30x0.7mm; Rib size: 13x25x0.7mm
- 5 Galvanized steel foot base 110x110x3mm
- 6 Plastic connection fixing with velcro strap
- 7 Central tube size: 25x25mm
- 8 Plastic top connection
- 9 Metal casting, screw connection
- 10 Height adjustable by sliding clip system



FOLDING CANOPY

FOLDING CANOPY PRO 40MM

Folding aluminum frame, hexagonal tube dia.40mm, PVC coated polyester 300g/m² roof cover, 100% waterproof. Suitable for frequent use, compact design, it's the perfect combination of strength, convenience, durability and stability.



Model size: 2.5x4 m
Item No.: UT40S-1

20

DETAILED INFORMATION

- 1 Big cap dia. 90mm
- 2 PVC coated polyester 300gr/m² roof cover
- 3 High density nylon joints
- 4 Pole size: Hexagon 40x1.6mm; rib size: 26x13x1.6mm
- 5 Galvanized steel foot base 110 x 110 x 3mm
- 6 High density plastic connection fixing with Velcro strap
- 7 Central tube size: 25 x 25mm
- 8 High density nylon top connection
- 9 High density nylon casting with pull ring
- 10 Height adjustable by sliding pull ring
- 11 Velcro on the sides; width: 3cm



FOLDING CAR PORT & PARTY TENT


FOLDING CANOPY MEDIUM

Folding reinforced coted steel frame, main tube size 38x38mm, PVC coated polyester 300g/m² roof cover, 100% waterproof. Costeffective, it's simple to set up and transport.



DETAILED INFORMATION

- 1 Big cap dia. 80mm
- 2 PVC coated polyester 300gr/m² roof cover
- 3 High density plastic connection fixing with velcro strap
- 4 Pole size: 38x38x1mm; Rib size: 12x25x1mm
- 5 Coted steel foot base 140.5x140.5x3mm
- 6 High density nylon joints
- 7 Central tube size: 25x25mm
- 8 High density nylon top connection
- 9 High density nylon casting with pull ring
- 10 Height adjustable by sliding pull ring
- 11 Velcro on the sides; width: 3cm



	A	B	C	D	E
3x3m	2960	2960	740	320	2020
3x6m	2960	5870	740	320	2020

21

INFLATABLE TENT



UniTent®

TUBE DIA.

32 mm

22

KD STRUCTURE PARTY TENT & CAR PORT



Robust & durable
H/D steel frame work
High quality materials
Fully water proof
Extended warranty included
Highly versatile
Printing & branding available
Erected in minutes



FOLDING CANOPY
FOLDING CANOPY MEDIUM


Folding reinforced coated steel frame, main tube size 32x32mm, PVC coated polyester 300g/m² roof cover, 100% waterproof. Costeffective, it's simple to set up and transport.



24

DETAILED INFORMATION

- 1 Big cap dia. 80mm
- 2 PVC coated polyester 300gr/m² roof cover
- 3 High density plastic connection fixing with velcro strap
- 4 Pole size: 32 x 32 x 1mm ; rib size: 23x12x1mm
- 5 Coated steel foot base 70 x70 x 3mm
- 6 High density nylon joints
- 7 Central tube size: 22x22mm
- 8 High density nylon top connection
- 9 High density nylon casting with pull ring
- 10 Height adjustable by sliding pull ring
- 11 Velcro on the sides; width: 3cm



	A	B	C	D	E
3 x 3m	2995	2955	1310	260	1260-2090
3 x 4,5m	2955	4400	1310	260	1260-2090
3 x 6m	2955	5875	1310	260	1260-2090

CUSTOMIZED ORDER

Special Orders: We welcome the opportunity to manufacture bespoke products. All of our range can be tailored to your requirements, including frame dimension, tube dimension, canopy and sidewall colors.(minimum order quantities may apply)

- Robust & durable
- H/D steel frame work
- High quality materials
- Fully water proof
- Extended warranty included
- Highly versatile
- Printing & branding avaiable
- Erected in minutes



Model size: 3x6 m
Item No.: UT3632



25

TECHNICAL CHARACTERISTICS

Size	Item No.	Volume (m³)	carton size	Products net (kg)
3 x 3m	UT3332	0.0891	1,62 * 0,22 * 0,25	28
3 x 4.5m	UT34532	0.13122	1,62 * 0,30 * 0,27	39
3 x 6m	UT3632	0.17496	1,62 * 0,40 * 0,27	47

WARRANTY
The tent, including the metal frame and roof cover, has a warranty of 1 year.



Item No.: UT3332

Size: 3 x 3m



Item No.: UT34532

Size : 3 x 4.5m



Item No.: UT3632

Size : 3 x 6m

UniTent®

TUBE DIA.

30mm



FOLDING CANOPY
FOLDING CANOPY ECON

Folding powder coated steel frame, tube size 30x30mm, polyester 180g/m² roof cover.
Easy to set up and store, cost-effective, it's ideal for personal occasional use.



Model size: 3x3 m
Item No.: UTF003

DETAILED INFORMATION

- 1 Big cap dia. 80mm
- 2 Polyester 180gr/m² roof cover
- 3 Plastic joints
- 4 Pole size: 30x30x0.8mm; rib size: 21x11x0.8mm
- 5 Coated steel foot base 60x60x2.5mm
- 6 Plastic connection fixing with velcro strap
- 7 Central tube size: 20x20mm
- 8 Plastic top connection
- 9 Metal casting, screw connection
- 10 Height adjustable by sliding clip system



At customers request, we can change the sliding clip system to sliding pull ring.

CUSTOMIZED ORDER

Special Orders : All our products can be modified according to your order and specifications, in terms of frame dimensions, diameters of tubes, options of cover and sidewalls and color. Personalized fabrication is possible according to the quantity on all categories.



Model size: 3x3 m
Item No.: UTF003


TECHNICAL CHARACTERISTICS

Size	Item No.	Volume (m³)	carton size	Products net (kg)
3 x 3m	UTF003	0.07935	1,50 * 0,23 * 0,23	18
3 x 4.5m	UTF006	0.1035	1,50 * 0,23 * 0,30	23
3 x 6m	UTF005	0.15314	1,55 * 0,38 * 0,26	30

FOLDING CANOPY

FOLDING CANOPY ECONOMIC 3x6M


Folding canopy 3x6M economic, steel frame tube size 30x30mm, polyester 180gr polyester w/PA coating easy to set up and store, cost-effective, ideal for persona occasional use.



Model size: 3x6 m
Item No.: UTF004-36


DETAILED INFORMATION

- 1 Cap dia.70mm
- 2 180gr polyester with PA coating
- 3 Plastic joints
- 4 Pole size: 30x30x0.8mm; Rib size: 23x12x0.8mm
- 5 Coated steel foot base 65x65x2.5mm
- 6 Plastic connection fixing with velcro straps
- 7 Plastic top connection
- 8 Metal casting, screw connection
- 9 Height adjustable by sliding clip system



CUSTOMIZED ORDER

Special Orders : All our products can be modified according to your order and specifications, in terms of frame dimensions, diameters of tubes, options of cover and sidewalls and color. Personalized fabrication is possible according to the quantity on all categories.



	A	B	C	D	E
3x3m	2930	2930	540	170	1666-1840
3x6m	5830	2930	540	170	1666-1840



TECHNICAL CHARACTERISTICS

Size	Item No.	Volume (m³)	carton size	Products net (kg)
3x3m	UTF004-33	0.067344	1.22*0.23*0.24	16
3x6m	UTF004-36	0.1429	1,24 * 0,32 * 0,36	33

BEACH FOLDING TENT

Folding canopy 3x3M economic, aluminium frame tube size 30x30mm, 420D Oxford with silver coating, (each unit has a sand pocket on each leg, perfect for adding extra weight in windy conditions), easy to set up and store, cost-effective, Ideal for personal occasional use.



Model size: 3x3 m
Item No.: UTF004B



Item No.: UTF003
Size: 3 x 3m



Item No.: UTF004-36
Size: 3 x 6m



Item No.: UTF004-33
Size: 3 x 3m



Item No.: UTF004B
Size: 3 x 3m

DETAILED INFORMATION

- 1 Cap dia55mm
- 2 420D Oxford with silver coating
- 3 Plastic joints
- 4 ALU. pole size30x30x0.8mm, Steel rib size9.5x18x0.6mm
- 5 Plastic foot base 50x50mm
- 6 Plastic connection fixing with Velcro straps
- 7 Plastic top connection
- 8 sand pocket
- 9 Height adjustable by sliding clip system

FOLDING CANOPY

Professional folding frame, square tube dia.30mm, 100% waterproof 220gr polyester PA coating cover, fire-retardant designed for intensive daily installation.



Item No.: F021


DETAILED INFORMATION

- 1 Cap dia. 55mm
- 2 220g/m² PA coated polyester
- 3 Plastic joints
- 4 Pole size: 30x30x0.8mm; Rib size: 10x20x0.8mm
- 5 Coated steel foot base 60x60x2.5mm
- 6 Plastic connection fixing with velcro strap
- 7 Plastic top connection
- 8 Metal casting, screw connection
- 9 Height adjustable by sliding clip system



FOLDING CANOPY


Professional folding frame, square tube dia.30mm, 100% waterproof 220gr polyester PA coating cover, fire-retardant designed for intensive daily installation.



Item No.: F021-M


DETAILED INFORMATION

- 1 Cap dia. 55mm
- 2 220g/m² PA coated polyester
- 3 Plastic joints
- 4 Pole size: 30x30x0.8mm; Rib size: 10x20x0.8mm
- 5 Coated steel foot base 60x60x2.5mm
- 6 Plastic connection fixing with velcro strap
- 7 Plastic top connection
- 8 Metal casting, screw connection
- 9 Height adjustable by sliding clip system



FOLDING CANOPY

Professional folding reinforced coated steel frame, main tube size 30x30mm, 420d oxford with silver coating roof cover water-resistant cost effective, it's simple to set up and transport.



Item No.: F030-2

DETAILED INFORMATION

- 1 Cap dia. 55mm
- 2 420D coated silver oxford cloth
- 3 Plastic joints
- 4 Pole size: 30x30x0.8mm; Rib size: 10x20x0.8mm
- 5 Coated steel foot base 60x60x2.5mm
- 6 Plastic connection fixing with velcro strap
- 7 Plastic top connection
- 8 Metal casting, screw connection
- 9 Height adjustable by sliding clip system
- 10 Mosquito mesh wall: 28g, with zipper



FOLDING CANOPY


Professional folding reinforced coated steel frame, main tube size 30x30mm, 420d oxford with silver coating roof cover water-resistant cost effective, it's simple to set up and transport.



Item No.: F030-2A

DETAILED INFORMATION

- 1 Cap dia. 55mm
- 2 420D coated silver oxford cloth
- 3 Pole size: 30x30x0.8mm; Rib size: 10x20x0.8mm
- 4 Coated steel foot base 60x60x2.5mm
- 5 Height density nylon connection with Velcro strap
- 6 High density nylon casting with push button
- 7 Height adjustable by sliding push button
- 8 Mosquito mesh wall: 28g, with zipper



Battery voltage: 3.7V
Power: 3.8W
Solar panel voltage: 5V
Discharge time: 4-8hours

FOLDING CANOPY

One click folding canopy 3x3M economic, aluminium frame tube size 30x30mm, 420d silver coated oxford cloth with vent; (each unit has a sand pocket on each leg, perfect for adding extra weight in windy conditions), easy to set up and store. cost-effective, Ideal for personal use.



one click/one touch



Item No.: F032A-1

FOLDING CANOPY

Professional folding frame, square tube dia. 30mm, 100% water proof PVC 420D coated silver oxford cloth, fire-retardant, designed for intensive daily erection. Wind resistant up to 70km/h (weighted and tied down). With its high specification, this product is ideal for professional and commercial use.




Item No.: UT3330

38

DETAILED INFORMATION

- 1 Big cap dia. 80mm
- 2 420d silver coated oxford cloth with vent
- 3 Plastic joints
- 4 Pole size: 25x25x0.75/20x20x20x0.75mm;
Rib size: 10x20x0.8mm
- 5 Plastic foot base 60x60x2.5mm
- 6 Plastic connection fixing with velcro strap
- 7 Plastic top connection
- 8 Metal casting, screw connection
- 9 Height adjustable by sliding clip system



39

DETAILED INFORMATION

- 1 Big cap dia. 80mm
- 2 420D coated silver oxford cloth
- 3 High density nylon joints
- 4 Pole size: 30x30x0.8/25x25x0.8mm
- 5 Coated steel foot base 60x60x2.5mm
- 6 Rib size: 12x23x0.8mm



FOLDING CANOPY

Professional folding frame, square tube dia. 30mm, 100% water proof 420D coated silver oxford cloth, fire-retardant, designed for intensive daily erection. Wind resistant up to 70km/h (weighted and tied down). With its high specification, this products is ideal for professional and commercial use.



Item No.: UT3630

TUBE DIA.


25 mm

UniTent®

40

DETAILED INFORMATION

- 1 Big cap dia. 80mm
- 2 420D coated silver oxford cloth
- 3 Plastic joints
- 4 Pole size: 30x30x0.8/25x25x0.8mm; Rib size: 12x23x0.8mm
- 5 Coated steel foot base 60x60x2.5mm
- 6 Plastic connection fixing with velcro strap
- 7 Central tube size: 30x30mm
- 8 Plastic top connection
- 9 Metal casting, screw connection
- 10 Height adjustable by sliding clip system



FOLDING CANOPY
FOLDING CANOPY MEDIUM


Folding reinforced coated steel frame, main tube size 25x25mm, 420D Oxford with silver coating roof cover. Cost effective, it's simple to set up and transport.



Model size: 3x3 m
Item No.: UT3325

DETAILED INFORMATION

- 1 Big cap dia. 80mm
- 2 420D Oxford with silver coating
- 3 High density plastic connection fixing with Velcro strap
- 4 Pole size: 25x25x0.9mm; Rib size: 22x11x0.9mm
- 5 Plastic foot base 20x20x3mm
- 6 High density nylon joints
- 7 Centre tube size: 22x22mm
- 8 High density nylon top connection
- 9 High density nylon casting with push button
- 10 Height adjustable by sliding push button



	A	B	C	D	E
3 x 3m	2995	2955	1310	260	1260-2090
3 x 4.5m	2955	4400	1310	260	1260-2090
3 x 6m	2955	5875	1310	260	1260-2090


FOLDING CANOPY
FOLDING CANOPY ECONOMIC 3X3M

Folding reinforced coated steel frame, main tube size 25x25mm, 160gr polyester roof cover water-resistant Cost effective, it's simple to set up and transport.

- Available in 3 frame shelves:
- 1. All steel frame
 - 2. Alum. pole and steel rib
 - 3. All alum. frame




Model size: 3x3 m
Item No.: UTF002



DETAILED INFORMATION

- 1 Cap dia. 55mm
- 2 160gr polyester
- 3 Plastic joints
- 4 Pole size: 25x25x0.6mm; rib size: 9x17x0.6mm
- 5 Plastic feet size 45x28mm
- 6 Plastic connection fixing with velcro strap
- 7 Plastic top connection
- 8 Metal casting screw connection
- 9 Height adjustable by sliding clip system



	A	B	C	D	E
3 x 3m	2950	2950	610	220	1730-1790

FOLDING CANOPY

FOLDING CANOPY ECONOMIC 2.4X2.4/3X3M


Folding reinforced coated steel frame, main tube size 25x25mm,420D oxford with silver coating roof cover water-resistant cost effective, it's simple to set up and transport.



Model size: 2.4x2.4/3x3 m
Item No.: UTF001-1

DETAILED INFORMATION

- 1 Cap dia. 55mm
- 2 420D Oxford with silver coating
- 3 Metal joint
- 4 Pole size: 25x25x0.6mm; Rib size: 11x22x0.6mm
- 5 Steel feet size 55x35x2mm
- 6 Metal casting screw connection
- 7 Height adjustable by sliding clip system



A1	A2	B1	B2	C	D	E
2390	2390	3000	3000	540	220	1690-1740

FOLDING CANOPY

FOLDING CANOPY ECONOMIC 2.4x2.4/3X3M

Folding canopy economic 2.4x2.4/3x3m, tube size 25x25mm, polyester 160gr roof cover, easy to set up and store, cost-effective, ideal for personal occasional use..


Available in 3 frame shelves:

- 1. All steel frame
- 2. Alum. pole and steel rib
- 3. All alum. frame

A1	A2	B1	B2	C	D	E
2390	2390	3000	3000	540	220	1690-1740



Model size: 2.4x2.4/3x3m
Item No.: UTF001



TECHNICAL CHARACTERISTICS

Size	Item No.:	Volume (m³)	Dimensions des colis (m)	Products net (kg)
2.4x2.4/3 x 3m	UTF001	0.055125	1,25 * 0.21 * 0.21	12
3 x 3 m	UTF002	0.055125	1,25 * 0.21 * 0.21	13

FOLDING CANOPY


Professional folding reinforced coated steel frame, main tube size 25x25mm, 220gpa cover. Cost effective, It's simple to set up and transport.



Item No.: F002-2D

46 DETAILED INFORMATION

- 1 Cap dia. 55mm
- 2 220g/m² PA coated polyester cloth
- 3 Plastic joints
- 4 Pole size: 25x25x0.8mm; Rib size: 11x22x0.8mm
- 5 Plastic feet size 55x35x2mm
- 6 Metal casting screw connection
- 7 Height adjustable by sliding clip system



FOLDING CANOPY


One click folding canopy 3x3M economic, aluminium frame tube size 25x25mm, 420d silver coated oxford cloth with vent; (each unit has a sand pocket on each leg, perfect for adding extra weight in windy conditions), easy to set up and store, cost-effective, Ideal for personal use.



Item No.: F032-1L

47 DETAILED INFORMATION

- 1 Big cap dia. 80mm
- 2 420d silver coated oxford cloth with vent
- 3 Plastic joints
- 4 Pole size: 25x25x0.75/20x20x20x0.75mm; Rib size: 10x20x0.8mm
- 5 Plastic foot base 60x60x2.5mm
- 6 Plastic connection fixing with velcro strap
- 7 Plastic top connection
- 8 Metal casting, screw connection
- 9 Height adjustable by sliding clip system





Accessories

PRINTING

Custom printed gazebos offer your contents the best way to showcase their brand. Our printing service can turn around your artwork within 7 working days. We have a great relationship with many customers and can arrange the airfreight straight to your door.



We send you the template and you return us the artwork as simple as that.



A FRAME

1. This fabric a frame is so easy to install, it can be set up in seconds by a single person. Easy to store this product comes with a handy carry bag.
2. With its high quality digitally printed graphic.
3. This is perfect product to help showcase your brand.



UTS001

FLAG

Perfect companion for those wishing to promote their brand. This high visibility display includes a digitally printed graphic. Great for exhibitions.



85x450cm
UTS002A

55x200cm
UTS002B

60x260cm
UTS002C

80x330cm
UTS002D



75x170cm
UTS002E

95x205cm
UTS002F

128x370cm
UTS002G

118x260cm
UTS002H



UTS002



UTS002I

LAMP

CE CERTIFICATE AVAIABLE



UTS003-1

3-Way Ultra Slim Floodlight Kit

Ultra slim floodlight, lighter weight
Sturdy construction and easy installation

Low power consumption:
UV Stabilized toughened glass and aluminium alloy lamp base


Operating temperature:
-20~+60°C
AC100-120V/200-240V input

Specification


Voltage AC100-120V/200-240V
Watt 10W*3
Lumen 800LM *3
Size 103*83*24MM (per floodlight)

Installation



1. Bracket fits for ROUND & SQUARE pole within diameter 30mm-50mm



2. Simply install the light kit on the pole, then turn the screw to fix the kit on the pole tightly



3. Turn the floodlight to any angle as needed



C13 to C14 extension power cord

UTS003-2**LED Rigid Strip Light Kit**


With 4 light strips of LED illumination, it helps to draw the crowd's attention to the brand's tent. It is easy to be attached to tent poles using the magnets attached or the plastic clips/velcro wraps.

Kit includes

Rigid Strip Light 4pcs
Dimming Switch 1pc
3-way Splitter 1pc
Extension Cable (5 meters) 1pc
Velcro Wraps 8pcs
Plastic Clips 8pcs
Carry Bag 1pc

**Optional accessory**

30W Adaptor
Portable power bank

**Installation****UTS003-3****Rechargeable Strip Light Kit****Specification**

Built in battery power, last up to 7 hours on full charged
Charging time: 6 hours
Simple one button operation
5 modes: White lighting 100%-50%-25%; Red lighting Flash-SOS
Durable clips to attach to the truss bars of the tent
Strong magnet built in t, allowing attach to metal objects

Kit includes


Rigid Strip light 4pcs
Plastic Clips 8pcs
USB Cable 4pcs
5V 4.8A Adapt 1pc
Carry Bag 1pc

Application

Folding Tent, Gazebo, Canopy,
camping, hiking, outdoor cycling,
fishing

**FLOOR****Roll away flooring - UTS004**


This roll away flooring is ideal for temporary events. It can be packed away quickly and efficiently and provides an excellent surface whilst in use. Available in multiple colours.

**Portable flooring - UTS005**

Our range of portable flooring tiles are ideal for use in the home or workplace, ideal for giving a hardwearing robust surface. Available in a wide range of colours.

**Portable Dance Floor UTS006**


Choose from a wide range of finishes this portable flooring is quick and easy to put down and is great for use in temporary spaces. Available as an optional extra is the Aluminium edging which provides a high class finish to your flooring area.

**Acrylic dance floor UTS007**

For a stronger and more durable dance floor. The UTS007 has an acrylic surface making it more hard working. Perfect for events, clubs, hotels, etc.



HEAVY DUTY FOLDING TABLE - ALU PRO 40mm(width 40cm & width 60cm) Suit for the size of 300cm folding tent

**UTS008**

54 DETAILED INFORMATION

- 1 SIZE 285cmx40cmx90cm-108cm UTTB40
- 2 SIZE 285cmx60cmx90-108cm UTTB60
- 3 High density nylon joints
- 4 Pole size: Hexagon 40x1.6mm; rib size: 26x13x1.6mm
- 5 Galvanized steel foot base 80x80x3mm
- 6 The table top made of melamine laminated plywood, it is water resistant, thickness 1.5cm, folded size only 99x42x7.5cm & 99x62x7.5cm
- 7 All the wooden boards are with PVC edge banding
- 8 High density nylon casting with pull ring
- 9 Height adjustable by sliding pull ring
- 10 Includes a durable carry bag
- 11 Carton size for 285x40cm: 102x26x54cm 22/24kgs
Carton size for 285x60cm: 102x26x63.5cm 27/29kgs




HEAVY DUTY FOLDING TABLE -ALU PRO 40mm(width 50cm) Suit for the size of 300cm folding tent

These commercial quality instant Tables/Counters were designed with market/show operators as well as motorsport customers in mind. Made from commercial PROTEX@40 aluminium these are designed to be free-standing tables and offer a rock solid working platform, due to the extra thickness and strength of the 46mm framework. The whole structure consists of concertina framework and 50cm deep ALLOY folding top. All parts fit into a handy storage bags with handles.

UTS008A

Size: 290cm x 50cm x 93-109cm

Each leg can be set to any of the 3 different height positions so the overall height can be adjusted or each leg can be adjusted individually if ground is uneven.



55 DETAILED INFORMATION

- 1 Size: 290x50x93cm-109cm UTTB40
- 2 High density nylon joints
- 3 Pole size: Hexagon 40x1.6mm; Rib size: 26x13x1.6mm
- 4 Galvanized steel foot base 80x80x3mm
- 5 The table top made of aluminum, 5-pieces aluminum
- 6 High density nylon casting with pull ring
- 7 Height adjustable by sliding pull ring
- 8 Includes a durable carry bag
- 9 Carton size 102x26x84cm 28/30.5kgs



Weighted feet and accessories



Weight 8KG
UTS009



Weight 12KG
UTS010



Weight 15KG
UTS011



Weight 30KG
UTS012



Weight bags set of 4/6 pcs
UTS013




Rain gutter - Connecting gutter
UTS014




Canopy extension
UTS015



Connector set of 4 pcs
UTS016



Carry bag for folding canopy
UTS017



Roof and wall carrying bag
UTS018



Half sidewalls
UTS019



Water bag
UTS020



Pegs and ropes
UTS021



brand board
UTS022



■ 520g PVC



• White



• Red



• Purple



• Yellow



• Forest green



• Black

■ PVC coated polyester 300g/m²



• White



• Light green



• Red



• Orange



• Fuschia rose



• Navy blue



• Black



• Brown



• Sky blue



• Ivory



• Forest green



• Purple



• Light grey




• Yellow



• Wine


■ Polyester color swatch



• Brown



• Sky blue




• White



• Fuschia rose



Black




Ivory



• Forest green



• Wine



Light green



• Navy blue



Red



Orange



• Purple



• Light grey



• Yellow